

GOVERNMENT OF THE DISTRICT OF COLUMBIA
District Department of the Environment



Lead and Healthy Housing Division
Compliance & Enforcement Branch

NOTICE OF DUST SAMPLING FORM
20 DCMR §§ 3315.7, 3316.10(d), or 3318.7(c)

Property Address: _____

Quadrant (SE/SW/NW/NE): _____ Ward: _____

Unit(s) That Will be Tested _____

Building Type (Residential or Child-Occupied Facility): _____

Year Built: _____

Owner or Administrator Name: _____

Name of Dust Sampling Professional: _____

Dust Sampling Professional Contact #: _____

Certification Type: _____

Certification Number: _____

Certification Expiration Date: _____

Date of Dust Sampling: _____

Time of Dust Sampling: _____

Dust Sampling Professional Acknowledgement

In keeping with the obligations under the Lead-Hazard Prevention and Elimination Act of 2008, as amended (DC Law 17-381; D.C. Official Code § 8-231.01 *et seq*), I am completing and forwarding this Form to notify the District Department of the Environment that I will be conducting lead dust sampling at the above property at the stated date and time.

Please submit to:

**DISTRICT DEPARTMENT OF THE ENVIRONMENT
LEAD AND HEALTHY HOUSING DIVISION / COMPLIANCE & ENFORCEMENT BRANCH
1200 FIRST STREET, N.E., 5th Floor / WASHINGTON, D.C. 20002
Fax: 202-481-3770 / Or email to: amber.sturdivant@dc.gov AND to obiara.offor@dc.gov**

Dust Sampling Professional Signature

Date

DISTRICT
DEPARTMENT
OF THE
ENVIRONMENT



green forward

1200 First St. NE, 5th Floor, Washington, DC 20002 | tel: 202.535.1934 | web:ddoe.dc.gov

